APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

Date of filing in State Engineer's Office MAY 1 0 1995	; [
Returned to applicant for correction MAY 2 6 1995	
Corrected application filed	Map filed MAY 1 2 1994
The applicant Korey Farnworth	
1725 Pullman Street and No. or P.O. Box No.	City or Town
Nevada , 89701 State and Zip Code No.	hereby make application for permission to change the
place of use of a portion Point of diversion, manner	cof use, and/or place of use
	te Record No. 5063, Permit No. 17,300 light by Permit, Certificate, Proof or Claim Nos. If Decreed, give title of Decree and
identify right in Decree.	
1. The same of many in a sandonomound	
•	tream, lake, underground spring or other source.
2. The amount of water to be changedten(10) ac	re feet per year cet, acre feet. One second foot equals 448.83 gallons per minute.
3. The water to be used for <u>industrial</u> (mining Irrigation, power, mini	gravity separation) ng. industrial, etc. If for stock state number and kind of animals.
4. The water heretofore permitted for industrial Irrigation, power	(gravel plant) and domestic r, mining, industrial, etc. If for stock state number and kind of animals.
5. The water is to be diverted at the following pointSW	4-SE1 Sec 30 T 13 N R 20 E M D B. Describe as being within a 40-acre subdivision of public survey and by course and
	er of said Sec. 30 bears S. 20° 19'
·	•
w.,/89.65ieetsituatedinbougiasCount	<u>Y</u>
6. The existing permitted point of diversion is located with	hin. If point of diversion is not changed, do not answer.
	·
7 Despected place of use	rth, R 22 East, Section 11 M.D.B. & M.
situated in Douglas County	visions. If for irrigation state number of acres to be irrigated.
	, , ,
my my n n n n n	42 N DOOF WDB & W
8. Existing place of use	13 N., R 20 E., M.D.B. & M., rmit is for irrigation, state number of acres irrigated. If changing place of use and/or
manner of use of irrigation permit, describe acreage to be removed from irrigi	ation
January 1	December 31
9. Use will be from Month and Day	Month and Day December 31
10. Use was permitted from Month and Day	December 51. of each year. Month and Day
11. Description of proposed works. (Under the provisions	of NRS 535.010 you may be required to submit plans and ruled by means of water truck, 6,000
specifications of your diversion or storage works.)	State manner in which water is to be diverted, i.e. diversion structure.
100,000 galions or dolled well elec-	WIND HIGH O COOKE ORDONE C
12. Estimated cost of works	
The was Estimated time required to gonstruct works	well is in place in the SW4 SE4 or at a point from which the S4
corner of said Sec. 30 bears S. 20° 19'W of Douglas	789.65 feet situated in the County

14. Estimated time required to complete the application of water to beneficial use. 15. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or any consumptive use: The water will be used in the gravity separation of gold bearing gravels us: one processing unit. With an annual consumptive use of not more than ten as feet per year. By S/Korey Farmworth 1725 Pullman Dr Carson City, N.V. 89701 Protested APPROVAL OF STATE ENGINEER This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to following limitations and conditions: This temporary permit to change the place of use of a portion of the waters of inderground source as heretofore granted under Permit 17300, Certificate 5063 is subject to the terms and conditions imposed in said Permit 17300, Certificate 5063 is with the understanding that no other rights on the source will be affected by the charproposed herein. The well shall be equipped with a 2-inch opening and a totalizing must be installed and maintained in the discharge pipeline near the point of diversiand accurate measurements must be kept of water placed to beneficial use. The totalization and anintained to prevent waste. This source is located within an area designated by its calculated to prevent waste. This source is located within an area designated by the state Engineer pursuant to NRS 534.030. The State retains the right to regulate the toff the water herein granted at any and all times. This temporary permit does not extend the permittee the right of ingress and egre in public, private or corporate lands. The issuance of this temporary permit does not waive the requirements that the records submitted to the State Engineer on a quarterly basis within 15 days after the earth had been considered and to the state Engineer on a quarterly basis within 15 days after the end of each calendar quarter. (CONTINUED ON PAGE 2)
The water will be used in the gravity separation of gold bearing gravels us: one processing unit. With an annual consumptive use of not more than ten ac feet per year. By s/Korey Farnworth 1725 Pullman Dr Carson City, N.V. 89701 Protested APPROVAL OF STATE ENGINEER This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to following limitations and conditions: This temporary permit to change the place of use of a portion of the waters of inderground source as heretofore granted under Permit 17300, Certificate 5063 is issuibject to the terms and conditions imposed in said Permit 17300, Certificate 5063 is into the understanding that no other rights on the source will be affected by the charproposed herein. The well shall be equipped with a 2-inch opening and a totalizing met ust be installed and maintained in the discharge pipeline near the point of diversind accurate measurements must be kept of water placed to beneficial Use. The totalizineter must be installed before any use of the water begins or before the proof completion of work is filed. If the well is flowing, a valve must be installed aliantained to prevent waste. This source is located within a area designated by thate Engineer pursuant to NRS 534.030. The State retains the right to regulate the of the water herein granted at any and all times. This temporary permit does not extend the permittee the right of ingress and egre in public, private or corporate lands. The issuance of this temporary permit does not waive the requirements that the remains have a proper the proof of the stemporary permit does not waive the requirements that the cords submitted to the State Engineer on a quarterly basis within 15 days after the of each calendar quarter. CONTINUED ON PAGE 2) The amount of water to be changed shall be limited to the amount which can be applied to beneficial use, and not exceed. 0.1
one processing unit. With an annual consumptive use of not more than ten act feet per year. By S/Korey Farmworth 1725 Pullman Dr Carson City, N.V. 89701
By S/Korey Farnworth 1725 Pullman Dr Carson City, N.V. 89701 Protested APPROVAL OF STATE ENGINEER This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to following limitations and conditions: This temporary permit to change the place of use of a portion of the waters of inderground source as heretofore granted under Permit 17300, Certificate 5063 is issuibject to the terms and conditions imposed in said Permit 17300, Certificate 5063 is intitudent to the terms and conditions imposed in said Permit 17300, Certificate 5063 is intitudent to the terms and conditions imposed in said Permit 17300, Certificate 5063 is intitudent to the terms and conditions imposed in said Permit 17300, Certificate 5063 is intitudent to the terms and conditions imposed in said Permit 17300, Certificate 5063 is intitudent to installed and maintained in the discharge pipeline near the point of diversing a current be installed before any use of the water begins or before the proof ompletion of work is filed. If the well is flowing, a valve must be installed an aintained to prevent waste. This source is located within an area designated by tate Engineer pursuant to NRS 534.030. The State retains the right to regulate the tate Engineer pursuant to NRS 534.030. The State retains the right to regulate the tate the temporary permit does not extend the permittee the right of ingress and egreen public, private or corporate lands. The issuance of this temporary permit does not waive the requirements that the right of the summan of the permits from State, Pederal and local agencies. Monthly records shall be kept of the amount of water pumped from this well and the ecords submitted to the State Engineer on a quarterly basis within 15 days after the of of each calendar quarter. CONTINUED ON PAGE 2)
By
Second Se
By S/Korey Farnworth 1725 Pullman Dr Carson City, N.V. 89701 Protested APPROVAL OF STATE ENGINEER This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to following limitations and conditions: This temporary permit to change the place of use of a portion of the waters of aderground source as heretofore granted under Permit 17300, Certificate 5063 is isself to the terms and conditions imposed in said Permit 17300, Certificate 5063 is isself the understanding that no other rights on the source will be affected by the charcoposed herein. The well shall be equipped with a 2-inch opening and a totalizing met ust be installed and maintained in the discharge pipeline near the point of diversidal accurate measurements must be kept of water placed to beneficial use. The totalizater must be installed before any use of the water begins or before the proof anintained to prevent waste. This source is located within an area designated by tate Engineer pursuant to NRS 534.030. The State retains the right to regulate the use the water herein granted at any and all times. This temporary permit does not extend the permittee the right of ingress and egrence public, private or corporate lands. The issuance of this temporary permit does not waive the requirements that the second submitted to the State Engineer on a quarterly basis within 15 days after the anount of water pumped from this well and the second submitted to the State Engineer on a quarterly basis within 15 days after the anount of water to be changed shall be limited to the amount which can be applied to beneficial use, and not exceed. O.1
Protested APPROVAL OF STATE ENGINEER This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to following limitations and conditions: This temporary permit to change the place of use of a portion of the waters of inderground source as heretofore granted under Permit 17300, Certificate 5063 is issubject to the terms and conditions imposed in said Permit 17300, Certificate 5063 is issubject to the terms and conditions imposed in said Permit 17300, Certificate 5063 is issubject to the terms and conditions imposed in said Permit 17300, Certificate 5063 is issubject to the terms and conditions imposed in said Permit 17300, Certificate 5063 is issuit the installed and maintained in the discharge pipeline near the point of diversidal accurate measurements must be kept of water placed to beneficial use. The totalizater must be installed before any use of the water begins or before the proof impletion of work is filed. If the well is flowing, a valve must be installed an intained to prevent waste. This source is located within an area designated by the state Engineer pursuant to NRS 534.030. The State retains the right to regulate the use the water herein granted at any and all times. This temporary permit does not extend the permittee the right of ingress and eggent public, private or corporate lands. The issuance of this temporary permit does not waive the requirements that the armit holder obtain other permits from State, Federal and local agencies. Monthly records shall be kept of the amount of water pumped from this well and the same that the permit of the state Engineer on a quarterly basis within 15 days after the of each calendar quarter. NONTINUED ON PAGE 2) The amount of water to be changed shall be limited to the amount which can be applied to beneficial use, and not exceed. O.1
APPROVAL OF STATE ENGINEER This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to following limitations and conditions: This temporary permit to change the place of use of a portion of the waters of inderground source as heretofore granted under Permit 17300, Certificate 5063 is issubject to the terms and conditions imposed in said Permit 17300, Certificate 5063 at the the understanding that no other rights on the source will be affected by the charoposed herein. The well shall be equipped with a 2-inch opening and a totalizing met as to be installed and maintained in the discharge pipeline near the point of diversible installed and maintained in the discharge pipeline near the point of diversible installed before any use of the water begins or before the proof impletion of work is filed. If the well is flowing, a valve must be installed a initialized to prevent waste. This source is located within an area designated by thate Engineer pursuant to NRS 534.030. The State retains the right to regulate the use the water herein granted at any and all times. This temporary permit does not extend the permittee the right of ingress and egreen public, private or corporate lands. The issuance of this temporary permit does not waive the requirements that the armit holder obtain other permits from State, Federal and local agencies. Monthly records shall be kept of the amount of water pumped from this well and the cords submitted to the State Engineer on a quarterly basis within 15 days after the dot of each calendar quarter. CONTINUED ON PAGE 2) The amount of water to be changed shall be limited to the amount which can be applied to beneficial use, and not exceed. O.1
APPROVAL
This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to following limitations and conditions: This temporary permit to change the place of use of a portion of the waters of inderground source as heretofore granted under Permit 17300, Certificate 5063 is issuibject to the terms and conditions imposed in said Permit 17300, Certificate 5063 at the the understanding that no other rights on the source will be affected by the charmon coposed herein. The well shall be equipped with a 2-inch opening and a totalizing met is to installed and maintained in the discharge pipeline near the point of diversing accurate measurements must be kept of water placed to beneficial use. The totalizater must be installed before any use of the water begins or before the proof completion of work is filed. If the well is flowing, a valve must be installed at anitained to prevent waste. This source is located within an area designated by the cate Engineer pursuant to NRS 534.030. The State retains the right to regulate the use the water herein granted at any and all times. This temporary permit does not extend the permittee the right of ingress and eggent public, private or corporate lands. The issuance of this temporary permit does not waive the requirements that the example of the state is the submitted to the State Engineer on a quarterly basis within 15 days after the corporate control of each calendar quarter. SONTINUED ON PAGE 2) The amount of water to be changed shall be limited to the amount which can be applied to beneficial use, and not exceed 10.0 accurate the corporate lands. Cubic feet per second, but not to exceed 10.0 accurate accords
This temporary permit to change the place of use of a portion of the waters of inderground source as heretofore granted under Permit 17300, Certificate 5063 is issuibject to the terms and conditions imposed in said Permit 17300, Certificate 5063 at ith the understanding that no other rights on the source will be affected by the change of the well shall be equipped with a 2-inch opening and a totalizing met ust be installed and maintained in the discharge pipeline near the point of diversing accurate measurements must be kept of water placed to beneficial use. The totalization must be installed before any use of the water begins or before the proof minimal proposed for the proof work is filed. If the well is flowing, a valve must be installed an aintained to prevent waste. This source is located within an area designated by that Engineer pursuant to NRS 534.030. The State retains the right to regulate the use the water herein granted at any and all times. This temporary permit does not extend the permittee the right of ingress and egreen public, private or corporate lands. The issuance of this temporary permit does not waive the requirements that the example of the state of the amount of water pumped from this well and the cords submitted to the State Engineer on a quarterly basis within 15 days after the cords submitted to the State Engineer on a quarterly basis within 15 days after the cords submitted to the State Engineer on a quarterly basis within 15 days after the cords submitted to the State Engineer on a quarterly basis within 15 days after the cords submitted to the State Engineer on a quarterly basis within 15 days after the cords submitted to the State Engineer on a quarterly basis within 15 days after the cords are the cord
This temporary permit to change the place of use of a portion of the waters of inderground source as heretofore granted under Permit 17300, Certificate 5063 is issuibject to the terms and conditions imposed in said Permit 17300, Certificate 5063 at ith the understanding that no other rights on the source will be affected by the char coposed herein. The well shall be equipped with a 2-inch opening and a totalizing met is be installed and maintained in the discharge pipeline near the point of diversing accurate measurements must be kept of water placed to beneficial use. The totalizater must be installed before any use of the water begins or before the proof completion of work is filed. If the well is flowing, a valve must be installed an aintained to prevent waste. This source is located within an area designated by that Engineer pursuant to NRS 534.030. The State retains the right to regulate the use the water herein granted at any and all times. This temporary permit does not extend the permittee the right of ingress and egreen public, private or corporate lands. The issuance of this temporary permit does not waive the requirements that the earnit holder obtain other permits from State, Federal and local agencies. Monthly records shall be kept of the amount of water pumped from this well and the ecords submitted to the State Engineer on a quarterly basis within 15 days after the cords submitted to the State Engineer on a quarterly basis within 15 days after the cords submitted to be changed shall be limited to the amount which can be applied to beneficial use, and not exceed. Ontinued on PAGE 2)
exceed 0.1 cubic feet per second , but not to exceed 10.0 acr
· ·
feet per year.
Work must be prosecuted with reasonable diligence and be completed on or before
Proof of completion of work shall be filed before
Application of water to beneficial use shall be made on or before
Proof of completion of water to beneficial use shall be filed on or before. Proof of the application of water to beneficial use shall be filed on or before.
1 1001 of the application of water to beneficial use shall be med on of before.
Map in support of proof of beneficial use shall be filed on or before
TO THE MICHIGARY MICHIGARY OF THE PARTY OF T
Completion of work filed IN TESTIMONY WHEREOF, IR. MICHAEL TURNIPSEED, P.
State Engineer of Nevada, have hereunto set my hand and the seal of Proof of beneficial use filed
Proof of beneficial use filed
Completion of work filed IN TESTIMONY WHEREOF, IR. MICHAEL TURNIPSEED, P. State Engineer of Nevada, have hereunto set my hand and the seal of office, this 20th day of July Cultural map filed A.D. 19.95

(PERMIT TERMS CONTINUED)

This temporary permit is issued pursuant to the provisions of NRS 533.345 Section 2 and will expire on July 19, 1996 at which time all rights herein granted shall revert to the right being changed by this temporary permit. With the granting of Permit 61224-T, Permit 60067-T is expired.

